Thermacore® COLLECTION



Premium insulated garage doors deliver maximum thermal efficiency and design flexibility.

The Genuine. The Original.

OVERHEAD DOOR®

BUILT BETTER FROM THE INSIDE OUT

Thermacore® Collection steel garage doors feature premium insulation construction and design which provides maximum thermal efficiency and reduced air infiltration for your garage space. This durable line of garage doors gives you many years of reliable operation while providing comfort and beauty to your home, even in extreme climates.



Energy-Efficient Savings

Help **control costly heat loss and gain** with our unique **Thermacore® Construction:** Foamed-in-place, CFC-free polyurethane insulation sandwiched between two layers of corrosion resistant steel helps.



Sleek and Durable

Enjoy a **clean, finished appearance inside** your garage with the **trusted strength** of the hot-dipped galvanized steel backing, complete with two coats of baked-on polyester paint.



Climate Adaptive

Our **innovative design** helps your garage door **withstand the elements** with in-between section thermal seals that achieve an air infiltration rating as low as .08 cfm.



Superior Seal

The bottom bulb-type weatherseal **guards your garage against** wind and rain and **provides a cushion** when closing for added door and floor longevity.



Model 5740, Flush Panel, Silver finish, Horizontal Double Narrow windows

SELECT YOUR DOOR

MODELS	5760	5740	5720
U-factor[1]	0.17	0.22	0.27
R-value[2]	17.5	12.76	9.31
Door Thickness	2″	1.4″	1″
Wind Load Option	✓	✓	
Panel Options	4	6	4
Available Colors	8	19	5
Warranty†	Limited Lifetime	Limited Lifetime	20-Year Limited

Symbol indicates verified U-factor rating in accordance with the DASMA Thermal Performance Verification Program.


Superior Option
for Extreme Climates

Model 5760 is built to withstand the toughest conditions. With a 2″ door thickness, superior wind load capabilities, and one of the best U-factor ratings in the industry, this garage door excels in extreme climates. Whether you're facing high winds or harsh winters, the Model 5760 ensures top-tier energy efficiency and hurricane-level protection, offering you peace of mind in even the most challenging environments.



Most Popular
for its Versatility

Model 5740 offers a wide range of styles, colors, and window options, making it easy to customize the look of your home. Ideal for homeowners who want to protect their property while adding a personal touch, this model delivers both functionality and aesthetic appeal.



Best Value
in the Thermacore® Collection

Model 5720 strikes the perfect balance of quality and affordability. Designed to be durable and long-lasting, this garage door enhances the appearance of your home while delivering exceptional value for years. It's the go-to choice for homeowners seeking a dependable solution without compromising on style.



Overhead Door™ Brand participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal performance of sectional garage doors. The lower the U-factor rating, the better the thermal performance.

1 - U-Factors are based on independent testing and verified per ANSI/DASMA 105. For products other than aluminum full-view doors, testing was conducted on specific sizes of solid doors. Actual thermal performance may vary by door size and configuration.

2 - Overhead Door Corporation uses a calculated door section R-value for our insulated doors.

† See full text of warranty for details.



Model 5740 8' high, Flush panel, Artisan Wood Grain™ Black Plank finish, Clear Long windows



Model 5740 8' high, Microgroove panel, Dark Bronze finish, Narrow windows

MODEL 5760: SUPERIOR OPTION FOR EXTREME CLIMATES



Model 5760 is expertly designed to deliver **superior thermal performance and protection**, making it the perfect solution for homeowners facing extreme weather conditions.

Advanced Insulation: Featuring 2" thick Thermacore® construction, this door includes foamed-in-place, CFC-free polyurethane insulation between two layers of corrosion-resistant steel, effectively minimizing heat loss and gain.

Enhanced Air Seals: The in-between section thermal seals achieve an air infiltration rating as low as 0.08 cfm, dramatically reducing drafts and preventing unwanted outdoor air from entering your garage.

Industry-Leading Energy Efficiency: With a third-party verified U-factor of 0.17, the Model 5760 provides top-tier thermal performance, helping homeowners save on energy bills while keeping their garage comfortable year-round.

Built for Tough Conditions: Approved for Florida Building Code (FBC), the Model 5760 offers wind-load options that meet stringent standards for wind resistance. Engineered to provide hurricane-level protection, it ensures your garage remains secure and durable in the most extreme weather.

U-Factors are based on independent testing and verified per ANSI/DASMA 105. For products other than aluminum full-view doors, testing was conducted on specific sizes of solid doors. Actual thermal performance may vary by door size and configuration.


FBC APPROVED

DASMA Door & Access Systems Manufacturers Association International
THERMAL PERFORMANCE VERIFICATION PROGRAM
www.dasma.com/thermal


LIMITED LIFETIME WARRANTY

Panels


Standard Panel



Vertical Short



Long Panel



Flush Panel



Doors shown are 7' tall. The number of sections on 8' doors may vary.

Colors

Painted Finishes

Embossed wood grain adds beauty, sophistication and durability.



White



Almond



Sandstone



Brown



Black

Artisan Wood Grain® Bi-directional Finishes

Stucco embossment creates an appealing pattern texture



Western Cedar



Carbon Oak



Medium Oak

Actual colors may vary from brochure due to fluctuations in the printing process. **Always request a color sample from your Distributor for accurate color matching before ordering your door.**

MODEL 5740: MOST POPULAR FOR ITS VERSATILITY




Model 5740 is the ideal choice for homeowners who want a garage door that **offers both style flexibility and exceptional performance**. With an extensive range of panel designs and color options, this model allows you to choose the perfect door to **match your home's architecture and curb appeal**. Additionally, window options are available to add both natural light and beauty to your garage.


Model 5740 also introduces wind load options, making it an excellent choice for homeowners in areas subject to high winds or hurricane-force conditions. FBC (Florida Building Code) approval ensures that this door can **withstand extreme weather events**, providing added protection for your home and peace of mind during storm season.

Panels


Standard Panel




Vertical Short



Vertical Long




Long Panel



Flush Panel



Microgroove



FBC APPROVED

DASMA Door & Access Systems Manufacturers Association International
THERMAL PERFORMANCE VERIFICATION PROGRAM
www.dasma.com/thermal

LIMITED LIFETIME WARRANTY

Doors shown are 7' tall. The number of sections on 8' doors may vary.

Colors

Painted Finishes

Embossed wood grain adds beauty, sophistication and durability.



White


Almond


Sandstone


Terra Bronze


Brown


Gray


Black

Modern Metallic Finishes

Creates a striking light effect.
(Also available in smooth)


Silver


Dark Bronze


Black Frost

Artisan Wood Grain® Plank Finishes

Stucco embossment creates an appealing pattern texture



Beachwood Plank


Cedar Plank


Carbon Oak Plank


Medium Oak Plank


Black Plank


White Plank

Artisan Wood Grain® Bi-directional Finishes

Stucco embossment creates an appealing pattern texture


Western Cedar


Medium Oak


Carbon Oak

Actual colors may vary from brochure due to fluctuations in the printing process. **Always request a color sample from your Distributor for accurate color matching before ordering your door.**

MODEL 5720: BEST VALUE IN THE THERMACORE® COLLECTION



Thermacore® Construction: Superior Insulation for Year-Round Comfort

Model 5720 offers the **perfect balance of quality, affordability, and performance**. Designed to meet the needs of homeowners looking for a durable, energy-efficient solution, this door delivers exceptional value without compromising on quality or style. Whether you're upgrading your garage door or building a new home, Model 5720 sets the standard to complement your home's exterior while providing lasting benefits for years to come.

Model 5720 features **Thermacore® Construction**, a cutting-edge design that incorporates foamed-in-place, CFC-free polyurethane insulation between two layers of corrosion-resistant steel. This advanced insulation technology is specifically engineered to help **control costly heat loss and gain**, improving the energy efficiency of your garage and reducing heating and cooling costs. The added insulation also contributes to **a quieter garage**, reducing noise from outside and from the door's operation.


To further enhance performance, Model 5720 is equipped with a bulb-type bottom weatherseal that effectively **guards against wind, rain, and debris**. This seal not only helps keep your garage protected from the elements but also provides a cushion when the door closes, reducing wear and tear on both the door and the floor. This added protection helps **extend the lifespan of your door**, ensuring it stays functional and attractive for many years.

DASMA
Door & Access Systems Manufacturers Association International
THERMAL PERFORMANCE
VERIFICATION PROGRAM
www.dasma.com/thermal


20 YEAR LIMITED WARRANTY

Panels


Standard Panel



Vertical Short



Long Panel



Flush Panel



Doors shown are 7' tall. The number of sections on 8' doors may vary.

Colors

Painted Finishes

Embossed wood grain adds beauty, sophistication and durability.



White



Almond



Sandstone



Black



Brown

Actual colors may vary from brochure due to fluctuations in the printing process. **Always request a color sample from your Distributor for accurate color matching before ordering your door.**

Window Styles

Available on Standard, Flush and Vertical Short Panels


Clear Short*


Cascade 1


Prairie 1*


Stockton 1*


Sherwood 1


Williamsburg 1 (4pc)


Williamsburg 1 (8pc)

Available on Long, Flush, Vertical Long and Vertical Short Panels


Clear Long*


Cascade 2


Prairie 2*


Sherwood 2


Somerton 2


Stockbridge 2 (3-Lite)*


Stockbridge 2 (4-Lite)*


Stockton 2 (4-Lite)*



Stockton 2 (6-Lite)*


Stockton 2 (8-Lite)*


Stockton 2 (8-Lite Arch)


Stockton 2 (12-Lite)


Williamsburg 2


Wyndbridge 2


Williamsburg 2 (4 pc)

* Artisan Wood Grain® Bi-directional Finishes available with these windows only

Window Styles

Carriage Style Window Trim. Available on Model 5740, Standard and Flush Panels Only.


Stockbridge


Stockton


Stockton Arch


Somerton


Wyndbridge Arch

Available on Modern Metallic Finishes and Artisan Wood Grain® Plank Finishes only.


Narrow


Double Narrow

Modern Metallic Finishes available with Clear Short, Clear Long, Narrow, and Double Narrow windows only.

Narrow and Double Narrow windows must have 1/2" insulated glass.

Window Frame Options

Available on Artisan Wood Grain® Plank Finishes only.


Silver


Dark Bronze


Black Frost


Gray


Brown


Black


White

Available on Artisan Wood Grain™ Bi-directional Finishes only.



Western Cedar


Carbon Oak



Medium Oak

Optional Window Placement

Vertical Window Option
(Left or right)


Flush panel, Clear Long Windows

All Window Option
(Flush panel only)


Flush panel, Clear Long windows

Vertical or Horizontal Option
(Left or right)



Microgroove panel, Double Narrow windows

Windows may be arranged vertically or horizontally on the Models 5740 and 5760. Windows must be Clear Short, Clear Long or Narrow. Windows placed in the bottom section of a door must have DSB 1/8", tempered, or 1/2" insulated glass.

Choose a Glass Type

All windows come standard with double strength glass. In addition, the Thermacore® Collection offers an array of choices, including:


Clear


Obscure


Satin Etched



Gray Tint


Green Tint


Bronze Tint

Actual glass may vary from brochure photos due to fluctuations in the printing process.
Check with your Overhead Door™ Distributor to view a glass sample.


Decorative Hardware



Arrow


Aspen


Barcelona


Bean


Conifer


Fleur De Lis


Spear

Openers

Complete your makeover by upgrading your garage door opener, remotes, keypad, and other accessories with Overhead Door™ Brand to keep your space safe, secure, and comfortable. Your Overhead Door™ Distributor will help you choose the opener that best suits your door and preferences.









Battery Backup Options

Our battery backup options provide reliable operation when there is a power outage.



For maximum convenience, our wi-fi enabled openers are equipped with the **OHD Anywhere®** system that allows you to control and monitor your garage door from your smart device.

California Residents:
As required by California State Law SB-969, all newly installed openers must have battery backup as of 07/01/2019.

Be sure to ask about our complete line of Overhead Door® garage door openers. Powerful, quiet and durable, these garage door openers are designed for performance, safety and convenience. Your Overhead Door™ Distributor will help you choose the opener that best suits your door and preferences.

QUICK REFERENCE GUIDE

		Superior Option for Extreme Climates		Most Popular for its Versatility			Best Value in Thermacore® Line
		5760		5740			5720
		Standard Vertical Short Long	Flush	Standard Vertical Short Vertical Long Long	Flush	Microgroove	Standard Vertical Short Long Flush
Painted Finishes on Wood Grain Embossment	White	•	•	•	•		•
	Almond	•	•	•	•		•
	Sandstone	•	•	•	•		•
	Terra Bronze			•	•		
	Brown	•	•	•	•		•
	Gray			•	•		
	Black	•	•	•	•		•
Modern Metallic Finishes on Smooth or Microgroove Embossment	Silver				•	•	
	Dark Bronze				•	•	
	Black Frost				•	•	
Artisan Wood Grain® Finishes on Stucco Embossment	Beachwood Plank				•		
	Cedar Plank				•		
	Medium Oak Plank				•		
	Carbon Oak Plank				•		
	Black Plank				•		
	White Plank				•		
Artisan Wood Grain® on Stucco Embossment	Western Cedar	•		•			
	Carbon Oak	•		•			
	Medium Oak	•		•			

It's Time for a Dream Makeover

Let us help you create the perfect look for your home with **DoorDreamer®**, a visualizer tool to get you started on making that dream a reality!

DOORDREAMER® by Overhead Door

Look for the Red Ribbon™

It's your guarantee that you're getting the best, from the brand that's been setting the standard for over a century.



Model 5740 Flush panel, Terra Bronze finish, Clear Long windows

The Genuine. The Original.

Since 1921, Overhead Door™ Brand has not only raised the standards of excellence for the garage door industry – we've created them. We pioneered the first sectional garage door and the first electric garage door opener, setting the bar for innovation and quality. Today, with a network of over 400 trusted Distributors, we continue to lead the way with cutting-edge solutions and unmatched service. When you choose Overhead Door™ Brand, you're choosing over 100 years of expertise, legacy, and trust.

SOLD AND DISTRIBUTED BY:

The Genuine. The Original.

OVERHEAD DOOR®

1-800-929-DOOR | sales@overheaddoor.com | overheaddoor.com

2501 S. State Hwy. 121 Bus., Suite 200, Lewisville, TX 75067

©2026 Overhead Door Corporation. Overhead Door is a trademark and Thermacore and the Red Ribbon Logo are registered trademarks of Overhead Door Corporation. All other trademarks are the property of their rightful owners. Consistent with our policy of continuing product improvement, we reserve the right to change product specifications without notice or obligation. R900-1490 10/26